


Compliance: RohS III(2015/863/EU)

Tolerances: .X: ±0.5 mm .XX: ±0.35 mm .XXX: ±0.25 mm	Date	Name	<b>YFT KNI 2BI1 19</b>	
	10/20	dr		
			<b>knitter-switch</b>	
			<b>30 45 07</b>	
Modifications	Date	Name		Page 1/3



PIN OUT  
 Pin1:COMMON  
 Pin2:S2  
 Pin3:S1

Maximum Loop Resistance <100 ohm

Compliance: RohS III(2015/863/EU)


Tolerances: .X: $\pm 0.5$ mm .XX: $\pm 0.35$ mm .XXX: $\pm 0.25$ mm	Date	Name	<b>YFT KNI 2BI1 19</b>
	10/20	dr	
Modifications	Date	Name	

**knitter-switch**

**30 45 07**

Page

2/3



- Black C
- 2X Clear Window (Matte)
- Emboss Area

Black Area is Matte  
(Nature of Autotype F150XE)

Compliance: RohS III(2015/863/EU)

Tolerances: .X: ±0.5 mm .XX: ±0.35 mm .XXX: ±0.25 mm			Date	Name	<h1>YFT KNI 2BI1 19</h1>
			10/20	dr	
			<b>knitter-switch</b>		<h2>30 45 07</h2>
Modifications	Date	Name			Page 3/3